


Relieve The  
Nightly Grind!

Medium

- easily conforms to your teeth in minutes
- cushions & protects teeth from damage
- stops annoying grinding sound



Doctor's

**Night Guard**

Dental Protector

for Nighttime Teeth Grinding (Bruxism)

### Guaranteed Fit

Most of our customers are able to obtain an excellent fit the first time they try. However, if you are not completely satisfied with the fit and comfort of this product, or if you purchased the wrong size for your mouth, please return the product to us and we will send you a new one. We will make the exchange in order to provide you with a comfortable and effective dental protector.

We want you to have relief from nighttime teeth grinding and promise to make the exchange as rapidly as possible. However, it may take as long as 3 weeks to process your request.

Relieve The  
Nightly Grind!



42037 79912

*Designed by a dentist  
for protection and comfort.  
Custom fit by you  
for convenience.*

Mouth size and body type can differ. However, as a general rule,  
choose the size based on the following:

	<b>Medium</b>	
Men and women under 5'6"	Most men and women (5'6" to 5'11")	Men and women 6'0" and above

**Doctor's**  
**Night Guard**  
Dental Protector  
for Nighttime Teeth Grinding (Bruxism)

#### Warnings

Do not use:

- If you are under 18 years of age.
- If you wear braces, dentures or other dental products.
- If you can wiggle any of your teeth.
- If your dentist told you that you have TMJ.
- If you have any tooth or jaw pain, or pain with brushing or tooth grinding.
- As an athletic mouth guard. Product does not absorb shock.
- For more than three months without consulting your dentist.

Ask a dentist before use if you have:

- Loose fillings, loose caps or cavities with no fillings.
- Clicking of your jaw.
- Jaw pain, tooth pain, face pain, or have a hard time chewing.
- Two or more missing teeth.
- Mouth sores.
- Gum diseases or bleeding gums.
- Serious breathing, respiratory or other health problems.

When using this product:

- See your dentist every six months.

Stop use and ask a dentist if:

- Your same symptoms last even after several weeks of use.
- The product easily falls out of your mouth.
- The product causes you to gag or feels uncomfortable.
- You have bleeding gums, soreness, or other reaction inside your mouth.
- You notice new symptoms (jaw pain, tooth pain, ear pain, headache, neck stiffness, or joint clicking) because of the product.
- You have loose teeth or a change in your bite that lasts more than a few minutes after taking product out.

[www.doctorsnightguard.com](http://www.doctorsnightguard.com)